PART IV

Section 1-C

GENERAL STATUTORY RULES AND STATUTORY ORDERS ISSUED BY THE CENTRAL GOVERNMENT AND ORDERS MADE BY THE PRESIDENT AND REPUBLISHED BY THE STATE GOVERNMENT.

LAW AND PARLIAMENTARY AFFAIRS SECRETARIAT

NOTIFICATION

No. LAW 200 LCR 1972 Bangalore dated 9th March 1973.

The Governor of Mysore is pleased to order that the Merchant Shipping (Medicines, Medical Stores and Appliances) Amendment Rules 1972 which has been published in Notification No. GSR. 1384 dated 9th October 1972 in the *Gazette of India*, Part II, Section 3, sub-section (i) dated the 4th November 1972 be republished in the *Karnataka Gazette*, for general information.

H. SUBBA RAO,

Under Secretary to Government.

129 *Department of Law and Parliamentary Affairs.*

GOVERNMENT OF INDIA

MINISTRY OF SHIPPING AND TRANSPORT

(Transport Wing)

New Delhi, the 9th October 1972.

(MERCHANT SHIPPING)

G.S.R 1384.—In exercise of the powers conferred by section 172 read with section 457, of the Merchant Shipping Act, 1958 (44 of 1958), the Central Government hereby makes the following rules,

further to amend the Merchant Shipping (Medicines, Medical Stores and Appliances) Rules, 1966, namely :—

1 **Short title and commencement.**—(1) These rules may be called the Merchant Shipping (Medicines, Medical Stores and Appliances) Amendment Rules, 1973.

(2) They shall come into force at once.

2 In the Merchant Shipping (Medicines, Medical Stores and Appliances) Rules, 1966 (hereinafter referred to as the said rules), for rule 3, the following rule shall be substituted, namely :—

"3 **Scales of Medicines etc.**—(1) Every foreign-going ship which is required to carry on board a medical officer in accordance with the provisions of section 173 of the Act shall have on board the medicines medical instruments, appliances, dressings and general medical equipments in quantity specified in Schedule I.

(2) Every foreign-going ship which is not required to carry on board a medical officer in accordance with section 173 of the Act and every home-trade ship engaged in voyages which exceed fourteen days in either direction shall have on board, if the ship carries upto 40 persons, the medicines, Medical instruments, appliances, dressings and general medical in quantity specified in sub-column (a) of column (2) of Schedule II and, if the ship carries over 40 persons in quantity specified in sub-column (b) column (2) of the said Schedule:

Provided that where a ship proceeds on a voyage exceeding six months, it shall carry double the quantities of medicines and dressing specified in sub-column (a) or, as the case may be, sub-column (b) column (2) of the said Schedule.

(3) Every home trade ship engaged in voyages not exceeding fourteen days in either direction other than a ship to which sub-rule (1) applies, shall have on board the medicines, medical instruments, appliances, dressing and general medical equipments in quantity specified in column (3) of Schedule II.

Provided that any such ship which is never more than two hours away from a port of call may not carry on board the medicines, medical stores and appliances indicated by symbol (*) in column (3) of the said Schedule.

(4) Every home trade ship which is solely engaged in the coastal trade of India shall have on board the medicines, medical instruments, appliances, dressings and general medical equipments in quantity specified in column (4) of Schedule II."

3. In the said rules, for rule 4, the following rule shall be substituted, namely :—

"4 4. Standards of Medicines, Instruments Appliances, Dressing and General Medical Equipments.— All such medicines instruments appliances, dressings and general medical equipments shall conform to the special requirements relating to labelling, packaging, storage etc. specified in Schedule I or, as the case may be, in column (5) of Schedule II."

4 In the said rules, in rule 6, for sub-rule (1), the following sub-rule shall be substituted, namely :—

"(1) Every medicine indicated by the symbol (P) in Schedule I or indicated as "Poison"" in column (5) of Schedule II, shall have on its container or wrapping a lable with the word 'POISON" printed thereon in capital letters either in red lettering or a red back ground."

5. In the said rules, in sub-rule (2) or rule 7, for the word and figures "Schedule IV" the word and figures "Schedule III", shall be substituted."

6. In the said rules, in sub-rule (2) of rule 9 for the word and figures "Schedule V", the word and figures "Schedule IV" shall be substituted.

7. In the said rules, for Schedule II, the following schedule shall be substituted namely :—

SCHEDULE-II

[See rule 3 (2), (3) and (4) and rule 4.]

Description of medicine, medical instruments, medical appliances, dressing and general medical equipment.	Minimum Quantities to be carried on board by ships to which rule 3 (2) applies.		Minimum quantities to be carried on board by ships to which rule 3(3) applies	Minimum quantities to be carried on board by ships for which rule 3(4) applies.	Special requirements regarding labelling, packaging and storage
	(a) For Ships carrying upto 40 persons on board	(b) For ships carrying over 40 persons on board.			
(1)	(2)		(3)	(4)	(5)
1 Aqua Pro. Injections (Water for Injection)	56	112	31	25	Each ampoule containing 5 cc Pyrogen free distilled water
2 Aplic. Benzyl Benzoate (Benzyo Benzoate application.	250 ml.	500 ml.	250 ml.	—	Lotion containing 3 % w/v of Benzyl Benzoate with mulsifying agent and water.

	ANTI-SCABIES LOTION.					
3	Auris illae glyceris (Glycerine ear drops) EAR DROPS.	30 ml.	60 ml.	30 ml.	—	Supply in bottle of distinctive design with dropper.
4	Aur still e Neomycine Sulphae Cum Bacitienum (Ear crops Neomycine and B citracine) ANTISEPTIC EAR DROPS	1 Phial	1 Phial	1 Phial	—	—
5	Capsulae amylit nitris (amyl nitrite capsules)	6	6	6	—	Each capsule 0.3 amyl nitrite, covered with tabsorbent fabric. To be renewed after 12 months.
6	Capsulae tetracyclini hydroachloridi (Tetracycline hydrochloride capsules)	80	160	80(*)		Each capsule 250 mg tetracycl nehydrochloride, or an eqvivalent broad spectrum antibiotic with similart herapeutics effects (to be so labelled).
7	Compressi acidiacetylsalicylici (Acetylsalicylic acid tablets AS PIRIN CAPSULES	250	500	200	160	Each tablet 300 mg. acetylsalicylic acid.
8	Compressi aminophylini (Aminophylline tablets) AMINOPHYLLINE TABLETS.	20	40	20(*)		Each tablet 300 mg aminiphylline Label "POISON to be used only on medical advice by radio".
9	Compressi Bellad. et Phenobard. (Bena	20	50	20	—	Each tablet containing 25 mg of Belladonna Dry Extract and 50

(1)		(2)		(3)	(4)	(5)
		(a)	(b)			
	Cona Tablets) ANTI SPASMODIC TABLETS.					mg. of phenobarbitone. The should be protected from light
10	Compressi Butobarbitali	40	80	20(*)		Each tablet 100 mg. butobarbitone. Supply in bottle of distinctive design Label "POISON"
11	Compressi chloroquini sulfatis Chloroquine sulfate tablets MALARIA TABLETS.	300	500	100 (Only for ships operating in malarious areas)		Each tablet 150 mg. chloroquine-base (Chloroquine sulfate 200 mg. Chloroquine phosphate 250 mg may be supplied as an alternative.
12	Compressi chlorothiazidi (Chlorothiazide tablets)	20	40	20(*)		Each tablet 50 mg chlorothiazide Supply in bottle of distinctive design Label. ad- "POISON"— to be used only on medical advice, transmitted in plain language and not by code".
13	Compressi chloromazini hydochloridi (Chlorpromazine hydrochloride tablets) TRANQUILLIZER TABLETS	20	40	20(*)	—	Each tablet 50 mg chloropromazine hydrochloride. Supply in bottle of distinctiv design. Label "POISON" to be used only on medical advice by radio".

14	Compressi codeine phosphatis (Codeine phosphate tablets) CODEINE TABLETS	200	300	100	—	Each tablet 15 mg. codeine phosphate, or an equivalent drug with similar therapeutic effects (to be so labelled)
15	Compressi colecynthidis et jalapae co (Compound colocynth jalap tablets) VEGETABLE LAXATIVE TABLETS.	100	200	40	—	Each tablet 40 mg. compound colocynth extract 15 mg. hyoscyamus dry extract 7/5 mg jalap resin/15 mg. podophyllum resin/0.06 ml. peppermint oil. Or an equivalent laxative with similar therapeutic effects (to be so labelled.)
16	Compressi digoxini DIGOIN TABLETS	20	20	20	—	Each tablet 0.25 mg. digoxin. supply in bottle of distinctive design. Label "POISON"—to be used only on medical advice, transmitted in plain language and not by code"
17	Compressi Di-Iodo-Hydroxyquinelin, (Tablets of Di-iodo-Hydroxyquinoline) DYSENTARY TABLETS	100	250	50	25	Each tablet containing 0.3 mg of Phthalylsulphathiazole. Label poison. They should be protected from light.
18	Compressi ephedrini hydrochloridi (Ephedrine hydrochloride tablets) EPHEDRINE TABLETS	60	100	40	20	Each tablet 30 mg. ephedrine hydrochloride.

	(1)	(2)		(3)	(4)	(5)
		(a)	(b)			
19	Compressi glyceryl trinitratis (Glyceryl trinitrate tablets) HEART TABLETS	20	40	20	—	Each tablet 0.5 mg. glyceryl trinitrate. Supply in bottle of distinctive design. Label "POISON".
20	Compressi Hyoscini Hydrobromidi Hyoscine hydrobromide tablets) SEASICKNESS TABLETS	100	200	50	50	Each tablet 0.3 mg. hyoscine hydrobromide, or an equivalent drug with similar therapeutic effects (to be so labelled). Supply in bottle of distinctive design. Label "POISON".
21	Compressi Kalii permanganatis (Potassium permanganate tablets)	50	100	20	20	Each tablet 60 mg. potasium permanganate. Label "One tablet dissolved in 600 mol water may be used as an antiseptic lotion or stomach wash".
22	Compressi magnesii trisilicatis (Magnesium trisilicate tablets) STOMACH TABLETS	250	500	100	100	Each tablet 250 mg magnesium trisilicate/120 mg. dried aluminium hydroxide gel/0.02 ml. peppermint oil.
23	Compressi natrii chloridi solv. Sodium chloride tablets) SALT TABLETS	1,000	2,000	500	250	Each tablet 500 mg sodium chloride, 200 mg. dextrose. Double the quantity to be carried in vessels spending long period in tropical areas.

24	**Compressi phenobarbitali (Phenobarbitone tablets) PHENOBARBITONE TABLETS**	50	100	40	20	Each tablet 30 mg phenobarbitone. Supply in bottle in distinctive design. Label "POISON."
25	Compressi Phthalylsulphathiazole. (Tablets of Phthalylsulphathiazole) DIARRHOEA TABLETS	100	250	100	50	Each tablet containing 0.5 Gm. of Phthalylsulphathiazole They Label "POISON". They should be protected from light.
26	Compressi phenoxymethylpenicillin (Phenoxymethlpenicilin tablets) PENCILLIN TABLETS	300	600	120	60	Each tablet 125 mg. phenoxymethlpenicillin Store in a cool dry place in a container which will prevent access of moisture.
27	Compressi proguanili hydrochloridi (Proguanil hydrochloride tablets)	100	200	100 (Only for ships operating in malarious areas	100	Each tablet 100 mg proguanil hydrochloride For ships proceeding on voyages to malarious areas the quantity is to be increased to 50 tablets per crew member.
28	Compressi promethazini hydrochloridi (Promethazine hydrochloride tablets (ANTIHISTAMINE TABLETS	40	80	40	20	Each tablet 25 mg promethazine hydrochloride or an equivalent antihistaminine therapeutic effects (to be lebelled).
29	Compressi Sulfadimidini (Sulfadimidine	200	400	100	—	Each tablet 500 mg. sulfadimidine or an equivalent sulfona

	(1)	(2)		(3)	(4)	(5)
		(a)	(b)			
	tablets) SULFONAMIDE TABLETS					mide with similar therapeutic effects (to be so labelled). Supply in bottle of distinctive design. Label "POISON".
30	Compressi sulfamethoxypyridazini (Sulfamethoxypyridazine tablets) SMP TABLETS	300	600	100	—	Each tablet 500 mg sulfamethoxypyridazine. Supply in bottle of distinctive design Label "POISON".
31	Conspersus dicophani (DDT dusting powder) INSECTICIDE POWDER	500g	1000g	250g(*)	—	A white powder for application to persons and their clothing; harmless to skin and clothing and designed to destroy human infestation by insects and mites Instructions for use on the label and insufflator included.
32	Conspersus zinci, amylii ettalci (Dusting powder of zinc, starch, and talc). ZINC DUSTING POWDER	150g	250g	150g	—	A white powder consisting of 25 percent zinc oxide, 25 per cent starch and 50 per cent talc (g weight), Label "External Use".
33	Conspersus zinci undecenoatis Dusting pow-	120g	250g	120g(*)	—	A powder consisting of 500, starch, 100g zinc undecenoate

	der of zinc undecenoate **RING WORM POWDER**					20.8g undecenoic acid, 4.7m pumilio pine oil, and 1000g light kaolin.
34	Dimethylis phthalas (Dimethyl phthlate) INSECT REPELLENT	ONE bottle per crew member.				To be carried on all vessel proceeding to malarious ports. The supply per individual should be considered adequate for seven days To be increased if the vessel remains longer in a malarious area 50 ml bottle Label "External Use"
35	Guttae sulfacetamidi (Sulfacetamide eye-drops) ANTISEPTIC-EYE DROPS	30ml	60ml	30ml (*)	30ml	A solution of sulfacetamide sodium 10 percent for eye drops Supply in bottle of distinctive design with dropper.
36	Guttae tetracainae (Tetracaine eye drops) ANAESTHETIC EYE DROPS	30ml	30ml	30ml	30ml	A solution of tetracaine hydrocloride 1 percent for eye drops Supply in bottle of distinctive design with dropper. Lable "External use-POISON"
37	Injectio adrenalini (Adrenaline injection) ADRENALINE INJECTION	5	5	5 (*)	3	Each ampoule 1 mg adrenaline. Suplpy in "Ampins". Label "To be used only on medical advice except in case of anaphylactic shock due to penicillin injection".

1		2		3	4	5
		(a)	(b)			
38	Injectio Atropinas Sulphas (Injection of Atropine Sulfphate) ATROPINE INJECTION	6	12	6	—	Should be dispersed in 1 ml. ampoule containing 0.5 mg of Atropine Sulfphate in water for injection.
39	Injectio benzylpenicillinae (Procaine penicillin G. injection) PENICILLIN INJECTION.	50	100	25(*)	25	Each ampoule 60000 international units of procaine penicillin in a sterile suspension in water or an equivalent antibiotic with similar therapeutic effects (to be labelled) Store in a cool dry place and renew when necessary
40	Injectio morphini sulfatis (Morphine sulfate injection)	10	20	5	2	Each ampoule 15 mg morphine sulfate Supply in "Ampins". Label "POISON".
41	Injectio Nikethamid. (Injection of Nikethamide CORAMINE INJECTION	3	6	3	3	Should be dispersed in 2 ml. ampoul containing 25% W/v of Nikethamide in water for injection.
42	Injectio natrii Chloridi (Sodium chloride injection) NORMAL SALINE INJECTION	4	6	4(*)	—	Each bottle 1000 ml water with 9g sodium chloride, sterile. Suply administration set and instructions.
43.	Injectio streptomycini sulfatis (Streptom	6	12	6(*)	--	Each ampoule 1000 mg streptomycin ase, as a sterile solution

	ycin sulfate injection) STREPTOMYCIN INJECTION					in water. Store in a cool dry place and renew when necessary.
44	Injectio tetracyclini hydrochloridi (Tetracycline hydrochloride injection) TETRACYCLINE INJECTION	6	12	3	—	Each ampoule 100 mg tertacycine or an equivalent broad spectrum antibiotic with similar therapeutic effects (to be so labelled).
45	Linctus scillae opiatus (Linctus of squill opiate) COUGH LINCTUS	500ml	1000ml	250ml	250ml	A mixture in equal volumes of camphorated opium tincture, oxpymel of squill, tolu syrup, or an equivalent mixture with similar therapeutic effects (to be so labelled).
46	Linimentum methylis salicylatis Methyl salicylate liniment).	250ml	500ml	250ml (*)	—	Supply in bottle of distinctive design Label "External use" ("Not for burns")
47	Liq. Plumbi Subacetat Fat. (Strong Solution of Lead Subacetate) SPRAIN LOTION	120ml	120ml	60ml	60ml	Label "POISON". 2ml. of strong Lead Subacetate Sola is to be diluted with 98 ml. of Purified water before use.
48	Lotio Calaminae (Calamine Lotion) CALAMINE LOTION	500ml	1000ml	250ml	250ml	Supply in bottle of distinctive design- Label External use.
49	Lotio cetrimidi (Cetrimide lotion) ANTISEPTIC SOLUTION	500ml	1000ml	250ml	250ml	A solution of cetrimide 1percent in water or equivalent. Supply in boottle of distinctive design. Lable "External use"

1		2		3	4	5
		(a)	(b)			
50	Magnesii hydroxidum (Magnesium hydroxide mixture) LIQUID LAXATIVE	500ml	1000ml	250ml	250ml	A mixture containing 7.9 percent by weight of magnesium hydroxide with peppermint oil flavouring.
51	Mixture kaolini et morphinae (Kaolin and morphine mixture) DIARRHOEA MIXTURE	25ml	500ml	250ml(*)	—	A mixture containing 2000mg light kaolin, 650mg sodium bicarbonate, 0,75 ml. chloroform and morphine tincture, water to 15ml. (in each dose).
52	Naphtillae ephedrinae (Ephedrine nose drops) NOSE DROPS	30ml	60ml	30ml	—	A solution of norephedrine hydrochloride 1 percent for nasal drops. Supply in bottle, of distinctive design with dropper. Label "External use".
53	Natrii bicarbonates (Sodium bicarbonate)	125g	250g	125g	—	
54	Oleum arachis (Arachis oil)	250ml	500ml	250ml	—	Oleum olivae (Olive oil) may be supplied as alternative.
55	Oleum caryophylli (Oil of cloves) TOOTH ANAESTHETIC	30ml	30ml	30ml	—	Supply in wide mouthed bottle of distinctive design. Label "External use"
56	Paraffinum molle flavum (Yellow soft paraffin) SOFT PARAFFIN	125g	250g	125g	125g	

57	Pasta Acid. Taas. (Tannic Acid Jelly) BURN OINTMENT	2 tubes	4 tubes	2 tubes	1tube	To be supplied in collapsible tube containing 60 gm. of the Jelly.
58	Tinctura benzoini Composita(Tincture of benzoin compound) INHALATION MIXTURE	100ml	200ml	100ml (*)	—	A mixture containing 10g crushed benzoin, 7 5g prepared storax, 2.5g tolu balsam, 2g aloes, alcohol 90 percent to 100ml) Label "External use' Add 5ml to 500ml hot water and inhale vapours',
59	Unguentum acidi benzoici Compositum (Compound benzoic acid ointment) WHITFIELD'S OINTMENT	100g	200g	100g (*)	—	An ointment containing 6 percent benzoic acid 3% salicylic acid 91% emmulsifying ointment.
60	Unguentum bacitracini (Bacitracin ointment) ANTIBIOTIC OINTMENT	120g	240g	60g	60g	An ointment containing bacitracin in a soft pararaffin base. Supply in 15 g tube.
61	Unguentum benzocaini Compositum (Compound benzocaine ointment Haemorrhoid Ointment	120g	180g	120g	—	An ointment containing 10% benzocaine, 45% hamanelis ointment. Supply in 15g tubes.
62	Unguentum gammabenzeni hexachlorii (Gamma benzen hexachloride ointment, ANTI-SCABIES OINTMENT	150g	300g	150g	—	As ointment containing gamma benzene hexachloride 1percent Supply in 50g tube.

1		2		3	4	5
		(a)	(d)			
63	Unguentum xylocaini hydrochloridi (Xylocaine ointment) LOCAL ANAESTHETIC OINTMENT	60g	120g	30g *)	30g	An ointment containing 5% xylocaine hydrochloride Supply in 15g tube.
64	Unguentum zincoxidi (Zinc oxide ointment) ZINC OINTMENT.	200g	400	110g	100g	An ointment containing 15percent Zinc oxide
	Instruments					
1	Eye spud with covered point	1	1	1	—	To be made of stainless steel.
2	Forceps: dental packing.	1	1	1	—	To be made of stainless steel
3	Forceps: dissecting	1	1	1	—	To be made of stainless steel
4	Forceps: homostatic	2	2	1	1	To be made of stainless steel, length 15 cm.
5	Forceps: sinus	1	1	1	—	To be made of stainless steel, length 15 cm.
6	Forceps: splinter	1	1	1	—	To be made of stainless steel, with wide oblique ends.

7	Scalpel : handel	1	1	1	—	No. 3 handle. Suitable for standard scalpel blades.
8	Scalpel : blades	6	6	6	—	No 10 or 11 blades.
9	Scissors :	1	1	1	1	To be made of stainless steel, one blade sharp pointed, the other blunt-pointed. Length 15 cm.
10	Thermometer	3	6	2	2	Lens-fronted, stubby-end, half-minute thermometer, with metal or plastic cases,
11	Canvas roll for above instruments	1	1	2	—	To be made of wood.
12	Applicators	50	50	25	25	For mouth-to mouth breathing
13	Artificial air way	1	2	1	1	
14	Injection syringe 2ml :	2	3	—	—	
15	Injection syringe :5 ml	2	4	1	1	Supplied in metal case.
16	Injection needles : hypodermic diameter 0.1 length 26 mm.	10	20	6	6	Alternatively, complete disposable syringes, in which case the quantities indicated here for the needles will apply to each size of syringe.
17	Injection needles Intramuscular diameter 8, length 40 mm.	10	20	6	6	
18	Luer adapto's for syringe.	1	1	—	—	For use with hypodermic syringes to enable any type of needle to be used.
19	Tongue depressors.	30	60	20	20	To be made of wood.

	(1)	(2)		(3)	(4)	(5)
		(a)	(b)			
20	Catheter sets. olivary ends	1	1	1	—	Set: size : 6,10,14 F or 3,5,7 UK.
21	Catheter .sets. soft rubber	1	1	1	—	One of each together with stilettes in a closed glass or plastic cylinder with a sprinkling of powdered talc; or a number of disposable plastic catheters in the same sizes.
22	Enema kit	1	1	1	—	It consists of graduated funnel, rubber tubing 1 metre long with control clamp attached, connexion and rubber catheter. Supply in a box plainly labelled "FOR ENEMA USE ONLY"
23	Stomach tube	1	1	1	—	Standard rubber or plastic 1 m long and fitted with plastic funnel Tube to bear a mark indicating when its tip has reached the stomach.
	Appliances					
24	Splints : common set	1	1	1	1	Wooden splints. Suitabel for fractures of limbs and hands.
25	Splints : serrated, for Gooch type	1	1	1	—	A sheet of split 1m x 1 m.

26	Splints :thigh, wooden	1	1	1	—	Largest size.
27	Splints : metal set	1	1	1	—	Metal with padded ring. One set of three.
28	Splints : Thomas					
29	Tourniquet	1	1	1	1	Esmarch of Samways type.
30	Truss : single right pad	1	1	1	—	Elastric band types with adjustable buckles. The bands to be not less than 1m in length.
31	Truss : single left pad	1	1	1	—	
32	Truss : double pads.	1	1	1	—	
33	Ligatures, catgut	3	5	2	—	In sealed glass tubes sterilised with a fracture scratch and directions for breaking the tube.
34	Sutures with needles	4	8	2	—	Sutures of nylon or silk fitted to eyeless needles with a cutting edge, in sterile sealed glass tubes with fracture scratch and directions for breaking tube. Half to be straight needles half to be curved.
35.	Suture strips, non-stitch	24	48	12	12	Size 2.5 × 50 cm. Butterfly or dumbbell shape for drawing superficial wounds together in sterile sealed packet.
36.	Suspensory bandages with understraps	2	4	2	2	Half to be of medium size and half to be of large size.

(1)	(2)		(3)	(4)	5
	(a)	(b)			
Dressings					
37. Adhesive elastic bandage, box.	2	4	2 (e)	2	5 cm. × 1 m. Supply in a metal container.
38. Adhesive plaster small	1	2	1	1	Zinc oxide plaster. Supply on a spool. 2·5 cm. 1 m.
39 Ahesive plaster; large	1	2	1	—	7.5 cm. × 1.5 m. Zinc oxide plaster as Supply on a spool.
40. Bandage crepe	4	6	2	2	7.5 cm. × 1.5m Each separately warpped with size on label.
41. Bandage roll guaze, open weave small.	10	20	10	10	Each separately wrapped, with size on label.
42 Bandage roll, guaze, open weave medium.	10	20	10	10	
43 Bandage roll, gauze, open weave large.	10	20	10	10	
44 Bandage triangle	4	8	2	2	1 × 1 × 1.3m Each separately wrapped with size on label.
45 Burn and wound dressing, box	5	10	3	3	10 × 10 cm. Sterile bleached cotton of rayon cloth even inpregnated with yellow soft parafin in a polythene envelope hermetically sealed and free from moisture. Ten envelopes per box.
46 Dressing, adhesive strip	1	2	1	1	6 cm × 1 m. in a sterile packet

47	First aid/emergency dressing small	3	6	3	3	7.5×10 cm pad 5cm×8 m. bandage.	
48	First aid/emergency dressiings medium	3	6	3	3	10×15 cm Pad 5cm× 8m bandage.	
49	First aid/emergency dressings large	3	6	3	3	15×20cm pad. 7.5 cm×4m. bandage.	

Additional information for 47, 48 and 49 above,

Pad: Cotton wool enclosed in absorbent gauze.

Bandage: open-weave guaze with pad stitched to it 30 cm form one end. pad to folded lengthwise with the surface of the dressing on the inside and the rolled end of and bandage on the outside. Free end of bandage to be would be round the rolled end the pad. Sterilised in separate sealed wrappers Label with size of pad and following instreutions: Unwind short length of bandage, straighten pad by pulling on ends of bandage. Apply pad to wound without touching it. Bandage firmly.

50	Gauze, plain sterile: small	5	10	5	5	30 cm × 1m	Supply in separate packet and lable with size and name of item.
51	Gauze, plain sterile: large	10	10	3	—	1×1m 2.5 cm × 3m	
52	Gauze absorbent ribbon	1	2	1	1		
53	Jaconet or equivalent	1	1	1	—	Bleached cotton cloth waterproofed in one side.	
54	Lint absorbent cotton small	5	10	3	3	15×30cm	Supply in separte Packet and label with size and name of item.
55	Lint. absorbent cotton large.	10	10	3	—	30×30cm	
56	Rolls of cotton wool small	10	20	10	5	20cm wide, 50g	
57	Rolls of cottonwool large	1	2	1	1	30cm wide, 200g.	

(1)		(2) (a)	(2) (b)	(3)	(4)	(5)
58	First aid satichel	1	1	1	1	A canvas bag with a strap containing: 2 bandages, crepes : 6 bandages, triangle . 4 small 2 medium 1 large } first aid emergency dressings 1 roll of cottonwool, large. 6 safety-coins, medium. 1 artificial airway.
	General medical equipment.					
59	Basins :round	1	1	1	1	White enamelled iron, aluminium or plastic, not less than 20 cm diameter and 10 cm depth Inscribed "MEDICAL"
60	Basins. kidney	1	1	1	—	White enamelled iron, aluminium iron, aluminium or plastic, lenth 25cm.
61	Bed pan	1	1	1	—	White enamelled iron, large size.
62	Eyebath	1	2	1	1	Made of glass or plastic that it not affected by bioling.
63	Eye droppers	3	6	3	2	Made or glass or plastic that it not affected by boiling.
64	Eye shades	3	6	3	2	

65	Feeding cup	1	2	1	—	Made of porcelain or plastic that it not affected by boiling.
66	Finger stalls	3	6	6	4	Assorted sizes, leather, or larger quantities if disposible type.
67	Hot water bottles	2	2	1	1	Rubber, with covers.
68	Ice bags	1	2	1	—	For lowering temprature.
69	Measuring glass; small	2	2	1	—	Graduated in ml or in minims and drachms.
70	Measuring glass, large	2	2	1	1	Graduated in ml and spoonful doses, or in drachms/ounces and spoonful doses.
71	Microscope slides	3	6	3(*)	—	
72	Rubber-sheeting	1	2	1(*)	1	Size 1 × 2m, rolled on a wooden core.
73	Safety pins	15	30	15	15	Size 5cm. mounted on a card or cards.
74	Sputum pot, disposable or	20	30	10	—	Waxed cardborad with a twist-on lid, wide base, and height not less than 5 cm.
75	Sputum pot non disposable	1	1	1	—	Enamelled iron with closefitting hinged lid.
76	Sterilizer	1	1	1	—	Size not less than 17.5 × 5 × 7.5 cm. Electric with automatic cut out, or steamheated, or with spirit lamp.
77	Stretcher	1	1	1	1	Neil Robertson type or equivalent.
78	Surgical gloves, pairs	2	4	2	—	Large size, roughened rubber.

1		2		3	4	5
		(a)	(b)			
79	Temperature charts	5	10	5	—	Four-hourly chart combining temperature, pulse, and resipiration.
80	Urine bottle	1	1	1	1	Enamelled iron or plastic, with handle.
81	Urine test papers: combined strips albumin/sugur.	2	2	1(*)	—	Container with close-fitting screw cap of metal strips together with suitable desiccant (silicagrl). Renew after 12 months or earlier if colour changes are are noticed Lable "Combined testing strip for albumin and sugar"
82	Salt test paper	2	2	1(*)	—	Booklets of 20 test papers impregnated with silver salt protected from light Label salt in urine test papers. Keep away from light"
83	Bottles: dispensing, small	6	12	5(*)	—	60 ml bottles with screw caps. Market at Marked at 15ml (1 teaspoonful).
84	Bottles: dispensing, large	6	12	5(*)	—	180 ml Bottles with screw caps. Marked at 15 ml (1tablesponful)
85	Bottles: poison	5	10	3(*)	—	60-ml bottles of distinctive design.

86	Dispensing envelops	100	100	50	—	Small size.
87	Palette knife	1	1	1	—	For dispensing ointments
88	Ointment boxes	15	20	6	—	For dispensing ointments. Either shipwood boxes staked in nests of three, or tins of 15 g.
89	Labels: plain	100	100	100	—	
90	Labels: poison	50	50	50	—	
91	Concentrated antiseptic	500ml	1litre	500ml	250ml	A solution of centrimide 20percent in water or equivalent. Label "Concentrated antiseptic lotion" together with full instructions for use. The recommended dilutions to be suitable for the purpose specified.
92	Chloride of lime	..	..	..	..	Supply in sealed and dated tins with instructions. The minimum amount to be carried is to be calculated on the amount of stabilized chloride of lime or its equivalent necessary to chlorinate the ships largest fresh water tank so as to produce concentration of one Part of free chlorine in one million parts of water
93	Dilute alcohol	250 ml.	500 ml.	200 ml. (*)	200 ml.	70% Supply in bottle of distinctive design and label "External use". Alternatively, surgical spirit may be supplied,

1	2 (a)	2 (b)	3	4	5
94 Disinfectant	2 litres	4 Litres	1 Litre	1 Litre	Supply in bottle of distinctive design and label "Disinfectant" together with full instructions for use. The recommended dilutions to be suitable for the purpose specified. (To consist of a white fluid in a finely dispersed stabilized emulsion containing coal tar acids or other phenolic bodies with or without hydrocarbons).
95 Methylated Spirit	500 ml.	1 Litre	500 ml.	—	Only if sterilizer is heated by a spirit lamp. Supply in bottle of distinctive design, Label "POISON".
96 International Medical Guide for Ships	1	1	1	1	
97 World Directory of Venereal Diseases Treatment Centres at Ports, Published by the World Health Organisation.	1	1	1	—	

Note :—In this Schedule, symbol (*) denotes that the items in the relevant column need not be carried on board a ship which is never away for more than twelve hours from a port of call.

[No. F. 8-MT (6)/67]

J. K. BHATTACHARYA, Dpty. Secy.